




SMART DIGITAL WATER TESTING™

exact iDip®
SMART PHOTOMETER SYSTEM
with  **Bluetooth®**
SMART


WITH TIME, DATE, AND GPS LOCATION



HARNESS THE POWER OF THE SMARTPHONE AND UPGRADE THE WAY YOU TEST WATER!



Now post to
Facebook & Twitter



A PHOTOMETER THAT IS CERTAIN TO SUIT ANY NEED!



From our eXact® iDip Smart Photometer™ System with Bluetooth® technology to the economical eXact® EZ, our line of photometers will simplify water quality testing and improve accuracy! Every photometer is equipped with unique features that cater to nearly any testing need and budget.

OUR LINE OF PHOTOMETERS AT A GLANCE...



eXact iDip
SMART PHOTOMETER SYSTEM
with Bluetooth SMART



Pool eXact EZ



Spa eXact EZ



eXact micro20
Bluetooth



eXact micro10

MSRP	\$179.99	\$129.99	\$129.99	\$554.99	\$284.99
Number of test available	35+	7	7	40	10
Memory per test	Unlimited	20	20	20	20
Wavelength	525 nm	525 nm	525 nm	Dual 525 nm/638 nm	525 nm
Sample size	4 ml	4 ml	4 ml	4 ml	4 ml
Uses eXact® strips/reagents	✓	✓	✓	✓	✓
EPA Compliant for Chlorine	✓	✓	✓	✓	✓
Health Department Compliant	✓	✓	✓	✓	✓
Energy saver (auto shut-off)	✓	✓	✓	✓	✓
Waterproof (IP67)	✓	✓	✓	✓	✓
Hand-held unit	✓	✓	✓	✓	✓
Patented / Patent pending	✓	✓	✓	✓	✓
CE Certificate	✓	✓	✓	✓	✓
EZ 3-Step test procedure		✓	✓	✓	✓
Bluetooth® SMART enabled	✓			✓	
Integrated eXact iDip® app	✓			✓**	
Multilingual	✓			✓**	
FCC Certificate	✓			✓	
Ability to e-mail results	✓			✓**	
Date, time & GPS location stamp	✓			✓**	
2-way communication with smart device (Apple or Android)	✓				
EZ 4-Step test procedure	✓				
Ability to add more tests	✓				
Updates to continually improve accuracy & add new features	✓				
Warranty / Customer satisfaction	30 day guarantee / 2 years	30 day guarantee / 2 years	30 day guarantee / 2 years	30 day guarantee / 2 years	30 day guarantee / 2 years



ABOUT OUR PATENTED eXact® Strip

Now there is a simple alternative to powder pillows, tablets, and liquid systems—eXact® Strips have one or more test pads containing reagents for colorimetric detection of ions in water samples. By dipping an eXact® strip into the cell, the reagent is released into the water sample. Our line of eXact® photometers utilize this easy-to-use method to provide you with the most accurate result possible!



eXact iDip[®]
 SMART PHOTOMETER SYSTEM
 with  **Bluetooth[®]**
 SMART

HARNESS THE POWER OF THE SMARTPHONE AND UPGRADE THE WAY YOU TEST WATER!

The eXact iDip[®] Smart Photometer[™] with Bluetooth[®] SMART technology is the first handheld photometer that pairs directly with a smartphone/tablet. This revolutionary water testing system will dramatically improve the efficiency of your water testing regiment. Because the app is the brain of the system — you'll always have the most up-to-date tests. Download new tests and updates with ease!

IDIP AVAILABLE POOL & SPA TESTS & REAGENTS

For a complete list of all available test and reagents, visit sensa.com/idip

MENU/PARAMETER / TEST		PART #	RANGE (ppm)	BEST ACCURACY %	# OF TESTS	IN APP PRICE	RETAIL PRICE
AL	Alkalinity, Total	486641	11 – 200	7.5	100	Included	\$15.99
bR	Bromine, Total (DPD-1)	486636	0.07 – 17.0	3	100	\$4.99	\$13.99
CHH	Chloride High (as Salt)**	486757	347 – 9975	8	25	\$4.99	\$13.99
Cd	Chlorine Dioxide Kit (with Glycine) **	486633	0.04 – 15.0	5	100	\$4.99	\$24.99
CL1	Chlorine, Free (DPD-1)***	486637	0.05 – 12.0	5	100	Included	\$13.99
CL3	Chlorine, Combined (DPD-3)* **	486638	0.05 – 12.0	5	100	Included	\$8.49
CL4	Chlorine, Total (DPD-4)***	486670	0.05 – 12.0	5	100	\$4.99	\$15.99
CLH	Chlorine, Total High	486672	1 – 260	5	50	\$4.99	\$20.99
CU	Copper (Cu ²⁺)	486632	0.06 – 11.0	2	50	\$4.99	\$15.99
Cy	Cyanuric Acid	481652-II	3 – 110	9	60	\$4.99	\$10.49
CA	Hardness, Calcium (as CaCO ₃)	486629	20 – 900	5	50	\$4.99	\$15.99
THH	Hardness, Total High (as CaCO ₃)	486656	60 – 600	12	50	\$4.99	\$29.99
THL	Hardness, Total Low (as CaCO ₃)	486630	1 – 80	15	100	\$4.99	\$16.99
HP	Hydrogen Peroxide	486648	1 – 130	5	50	\$4.99	\$15.99
FE	Iron, Total **	486650	0.03 – 8.00	8	50	\$4.99	\$20.99
Mn	Manganese (as Mn ⁺²)	486606	0.03 – 2.60	6	24	\$4.99	\$31.49
Mt	Metals ⁺²	486604	0.00 – 1.75	6	25	\$4.99	\$14.99
NO3	Nitrate (as NO ₃)	486655	0.25 – 32.0	8	50	\$4.99	\$19.99
NO2	Nitrite (as NO ₂)	486623	0.02 – 4.00	3	50	\$4.99	\$18.99
O3	Ozone (DPD-4)	486634	0.01 – 2.00	10	100	\$4.99	\$15.99
PA	Peracetic Acid (DPD-4)	486674	0.05 – 11.0	4	100	\$4.99	\$15.99
PH	pH	486639-II	6.0 – 8.5 pH	0.2 pH	100	Included	\$11.99
PHA	pH, Acid	486624	4.5 – 6.2 pH	0.3 pH	50	\$4.99	\$10.49
PHb	pH, Alkali	486609	7.5 – 10.0 pH	0.3 pH	50	\$4.99	\$10.49
PO4	Phosphate	486814	0.02 – 5.00	8	50	\$4.99	\$19.99
NAb	Sodium Bromide (as NaBr)	486659	19 – 400	5	25	\$4.99	\$13.99
S	Sulfide (as S ²⁻)**	486818	0.11 – 5.30	12	50	\$4.99	\$20.99
TU	Turbidity	N/A	24 – 780 NTU	N/A	N/A	N/A	N/A

[†]Value provided represents best possible accuracy under laboratory conditions, but may vary throughout the detection range. For a complete list of accuracies throughout all ranges, please visit sensa.com/idip.

*Combined Chlorine DPD-3 Test requires Free Chlorine DPD-1 (486637) to be run first. For resellers and distributors - products sold in case quantities (12 units per case).

**Test uses a non-standard test method. Visit sensa.com/idip for details.

***Requires the use of 2 strips if reading is above 6 ppm.



eXact iDip[®]

SMART PHOTOMETER SYSTEM

with **Bluetooth[®]** SMART

BENEFITS OF THE iDIP[®]

- Harness the power of the smartphone to transform your water testing
- 2-way communication with a Bluetooth[®] SMART (4.0) ready smartphone/tablet (Apple[®] & Android[®])
- The eXact iDip[®] app is the brain of the system
- NEW!** • Instant, documented results that can be e-mailed or exported via CSV file (spreadsheet)
- NEW!** • Results can be shared on Facebook and Twitter via the app
- Time, Date & GPS location stamp results
- App is customizable & upgradable
- Safe to use pool side (no glass or loose pieces)
- 30 day satisfaction guarantee & 2-year warranty

EXACT iDIP[®] SMART PHOTOMETER[™]

Comes with One (1) eXact iDip[®] Photometer, Cleaning brush, Quick Start Guide, and 24 foil packet strips (6 of each):

Free Chlorine (DPD-1), Combined/Total Chlorine (DPD-3), pH, and Total Alkalinity

Part No. **486101**
\$179.99*

*Smart device NOT included

U.S. Patents #7,333,194 and #7,491,546;
E.U. Patent #1,725,864 DE FR UK
South African Patent #2007/0628
U.S and International Patents pending

WIRELESS CONNECTIVITY FROM POOL-TO-PALM


The new eXact iDip[®] Smart Photometer[™] uses the patented iDip[®] 4-step reagent delivery method, a quick yet safe and easy procedure for water analysis. Select your test then push a button and dip an eXact[®] strip into the 4 ml water sample for 20 seconds using a gentle back and forth motion. Discard the strip and read your results!

The iDip[®] methodology uses fewer steps which minimizes error. eXact[®] Strips provide smooth, precise reagent-dispersion into samples without residual suspended solids that can adversely affect results, especially when testing cold water.

4 SIMPLE STEPS

SELECT, FILL, DIP & READ

1



SELECT TEST

Open app and SELECT your test

2



FILL CELL

FILL cell and zero meter

3



DIP STRIP

Dip 20 seconds to dispense reagent

4



READ RESULT

Results include: Date, Time, and GPS Location stamp



WINNER OF 2014 R&D 100 AWARD

The eXact iDip[®] Smart Photometer[™] is a winner of the prestigious R&D100 award. Each year a panel comprised of industry experts and R&D Magazine editors evaluate and judge hundreds of entries. The 52nd R&D100 Awards, recognized as the "Oscars of Invention," identify and celebrate the top 100 most revolutionary technology products of the previous year. This year, R&D 100 has selected the eXact iDip[®] Smart Photometer[™] System as a recipient of the esteemed Award. Compliance with the EPA, ISO, and DIN testing specifications of the eXact iDip[®] attests to the meter's quality, reliability, and accuracy.



**VIEW OUR
COMMERCIAL**

Learn more at sensafe.com/idip

INSTANT DOCUMENTED RESULTS!



The eXact iDip® app makes testing and managing your results effortless. The eXact iDip® app is available for free and can be used with compatible Apple & Android Devices. It comes with 4 tests installed and over 30 tests available for in-app purchasing making it a truly customizable experience.

FEATURES OF THE APP

- Brain of the eXact iDip® Smart Photometer™ System—always have the most up-to-date algorithms and latest features
- Save — Results stored into app's history
- Send — Instant documented results
- NEW!** • Share — E-mail test data via CSV file (spreadsheet) and Facebook & Twitter
- Add notes and share instantly!
- GPS feature provides date, time, and location stamp
- Multilingual app — Available in French, Spanish, Russian, German, Czech and Chinese
- In app updates for best accuracy
- Customize — Only download the tests you need

EXACT iDIP® APP

**APP STORE
DOWNLOAD**



**GOOGLE PLAY
DOWNLOAD**



Now available
for Android!

(Bluetooth® 4.0 & Android 4.3 or greater)



For more information and a list of compatible devices go to www.sensafe.com/compatible-devices



POOL STARTER KIT

Pre-configured kits come with exactly what's needed to start testing. Packed in a rugged and durable plastic case with secure closing fasteners and padded compartments.

One (1) eXact iDip® Photometer, Cleaning brush, Quick Start Guide, and 25 test of each:

Total Alkalinity, pH, Free Chlorine (DPD-1), Combined/Total Chlorine (DPD-3), Calcium Hardness, and Cyanuric Acid (60 tests)

Part No. **486101-KP-K**
\$284.98

**Smart device NOT included*



EXACT iDIP® REFILL BOXES

Easy ordering of pool and spa reagents. One part number is all you need!

Pool Refill Box (100 tests each)

- Total Alkalinity
- pH
- Free Chlorine (DPD-1)
- Combined/Total Chlorine (DPD-3)
- Calcium Hardness
- Cyanuric Acid

Part No. **486212**
\$69.99

Spa Refill Box (100 tests each)

- Free Chlorine (DPD-1)
- Bromine (DPD-1)
- Combined/Total Chlorine (DPD-3)
- pH
- Total Alkalinity
- Calcium Hardness

Part No. **486215**
\$69.99



WINNER OF 2015 POOL AND SPA PRODUCT OF THE YEAR

The eXact iDip® Smart Photometer™ won the 2015 Pool and Spa Product of the Year from the readers of Pool and Spa Scene. Now in their sixth year, the UK Pool & Spa Awards celebrate the outstanding achievements of the UK's leading companies and organizations that are involved in the multi-million provision of water leisure, both at home and across a variety of public sectors from hotels and health clubs to schools and public pools.

Pool eXact® EZ



For pool owners and pool professionals who desire an economical way of testing pool water. Pool eXact® EZ delivers 7 pool water parameters with lab-quality results!

All tests with the Pool eXact® EZ use our patented eXact® Strips, a quick and easy reagent system for analysis. Simply dip an eXact® Strip Micro into the water sample for 20 seconds using a simple back and forth motion, discard the strip, and read the results instantaneously!

POOL EXACT® EZ INCLUDES:

(1) Pool eXact® EZ photometer, user manual, cleaning brush, 6 tests of each (30 total) for: Free Chlorine (DPD-1), Combined Chlorine (DPD-3), Total Chlorine (DPD-4), pH, Total Alkalinity, and Calcium Hardness

EZ-3™ Method
FAST, ACCURATE
RESULTS IN
3 STEPS



Part No. 486201
\$129.99

POOL EXACT® EZ REFILL BOX INCLUDES:

100 tests of each: Free Chlorine (DPD-1), Combined Chlorine (DPD-3), pH, Total Alkalinity, Calcium Hardness (50 tests), and Cyanuric Acid (60 tests)

Part No. 486211
\$69.99

POOL EXACT® EZ TEST SPECIFICATIONS

Menu	Test parameter	Part no.	Range (ppm)	Best Accuracy [†]	Tests
1	Free Chlorine (DPD-1)	486637	0.05 – 12	5	100
2	Total Chlorine (DPD-4)	486670	0.05 – 12	5	100
3	Combined Chlorine (DPD-3)*	486638	0.05 – 12	5	100
4	pH	486639 pH	6.0 – 8.5 pH	0.2 pH	50
5	Hardness, Calcium (as CaCO ₃)	486629	19 – 550	10	50
6	Total Alkalinity	486641	11 – 200	7.5	100
7	Cyanuric Acid	481652-II	3 – 110	9	60

*Combined Chlorine DPD-3 Test requires Free Chlorine (DPD-1) to be run first.

For re-sellers and distributors—products sold in case quantities (12 units per case).

For use in accordance with U.S. Pat No. 7,333,194, US Pat No 7,491,546 Euro Pat No. 1 725 864 DE FR UK, and South African Pat No 2007/0628

[†]Value provided represents best possible accuracy under laboratory conditions, but may vary throughout the detection range



Spa eXact® EZ



EZ-3™ Method
FAST, ACCURATE
RESULTS IN
3 STEPS



Testing your spa water has never been so relaxing with Spa eXact EZ. Ability to test 7 important spa water parameters, Spa eXact EZ provides accurate results in just seconds!

All tests with the Spa eXact® EZ use our patented eXact® Strips, a quick and easy reagent system for analysis. Simply dip an eXact® Strip Micro into the water sample for 20 seconds using a simple back and forth motion, discard the strip, and read the results instantaneously!

SPA EXACT® EZ INCLUDES:

(1) Spa eXact® EZ photometer, user manual, cleaning brush, 6 tests of each (30 total) for: Total Bromine / Free Chlorine (DPD-1), Combined Chlorine (DPD-3), Total Chlorine (DPD-4), pH, Total Alkalinity, and Calcium Hardness

Part No. 486202
\$129.99

SPA EXACT® EZ REFILL BOX INCLUDES:

100 tests of each: Total Bromine (DPD-1), Free Chlorine (DPD-1), Combined/Total Chlorine (DPD-3), pH, Total Alkalinity, and Calcium Hardness (50 tests)

Part No. 486215
\$69.99

SPA EXACT® EZ TEST SPECIFICATIONS

Menu	Test parameter	Part no.	Range (ppm)	Best Accuracy [†]	Tests
1	Total Alkalinity	486641	11 – 200	7.5	100
2	Hardness, Calcium (as CaCO ₃)	486629	19 – 550	10	50
3	Free Chlorine (DPD-1)	486637	0.05 – 12	5	100
4	Combined Chlorine (DPD-3)*	486638	0.05 – 12	5	100
5	Total Chlorine (DPD-4)	486670	0.05 – 12	5	100
6	pH	486639-II	6.0 – 8.5 pH	0.2 pH	100
7	Bromine	486636	0.08 – 17	5	100

*Combined Chlorine DPD-3 Test requires Free Chlorine (DPD-1) to be run first.

For re-sellers and distributors—products sold in case quantities (12 units per case).

For use in accordance with U.S. Pat No. 7,333,194, US Pat No 7,491,546 Euro Pat No. 1 725 864 DE FR UK, and South African Pat No 2007/0628

[†]Value provided represents best possible accuracy under laboratory conditions, but may vary throughout the detection range





eXact[®] MICRO 20

Advanced Photometer System



ON-SITE LAB QUALITY RESULTS

The eXact[®] Micro 20 with Bluetooth[®] SMART is a powerful dual-wavelength photometer system that harnesses the technology to connect wirelessly to your smart device. The dual narrow band wavelength filters ensure delivery of the most accurate results!

- Pre-programmed to test over 40 water quality parameters with lab-quality accuracy
- Fast, accurate results with EZ-3 Method
- Test results can be shared in real-time via e-mail or exported to a CSV spreadsheet with time-date GPS locations when used with the eXact iDip[®] app
- 30-day satisfaction guarantee
- 2-year warranty



waterproof IP67



EXACT MICRO 20 POOL KIT INCLUDES:

One (1) eXact[®] Micro 20 Bluetooth[®] photometer, Mini Dilution kit, Plastic Carrying Case, Plastic Stirrer, Cell Cleaning Brush, Mixing Cap, Instruction Manual, and 25 tests of each:

Total Bromine (DPD-1), Free Chlorine (DPD-1), Combined/Total Chlorine (DPD-3), pH, Total Alkalinity, Copper, Nitrate, Total Iron, Calcium Hardness, Phosphate, Chloride (Salt), Cyanuric Acid (60 tests), and Biguanide



eXact[®] Micro 20
with Bluetooth[®] SMART



Part No. **486700BT-KP**
\$674.99*

MICRO 20 AVAILABLE POOL & SPA TESTS & REAGENTS

For a complete list of all available test and reagents, visit sensafe.com/exactphotometers/exact-micro-20-pool

MENU/PARAMETER / TEST		PART #	RANGE (ppm)	BEST ACCURACY % [†]	# OF TESTS	RETAIL PRICE
AL4 ₁	Alkalinity, Total	486641	8 – 200	7.5	100	\$15.99
NH3 ₂	Ammonia	486654	0.01 – 1.2	13	50	\$41.99
bG8 ₃	Biguanide	486810	1.6 – 210	7.5	50	\$13.99
bR6 ₃	Bromine (DPD-1)	486636	0.01 – 12	5	100	\$13.99
CH5 ₄	Chloride High (as Salt)	486757	26 – 6600	10	25	\$13.99
Cd4 ₅	Chlorine Dioxide (DPD-1)	486633	0.01 – 10	5	100	\$24.99
CL1 ₁	Chlorine, Free (DPD-1)	486637	0.01 – 6.2	3	100	\$13.99
CLH ₅	Chlorine, High Range	486672	1 – 300	5	100	\$20.99
CL3 ₃	Chlorine, Combined (DPD-3)* (525 nm)	486638	0.01 – 6.2	3	50	\$8.49
CL1 ₁	Chlorine, Total (DPD-4)	486670	0.01 – 6.2	3	50	\$15.99
CR6 ₆	Chromium (VI)	486614	0.01 – 1.8	5	50	\$16.99
CU6 ₁	Copper (Cu ²⁺)	486632	0.01 – 11	2	50	\$15.99
CY7 ₃	Cyanuric Acid II	481652 – II	7 – 110	12	60	\$10.49
CA5 ₃	Hardness, Calcium (as CaCO ₃)	486629	16 – 400	15	50	\$15.99
THH ₆	Hardness, Total HR (as CaCO ₃)(525 nm)	486656	60 – 600	12	100	\$29.99
THL ₆	Hardness, Total LR (as CaCO ₃)(525 nm)	486630	1 – 80	10	50	\$16.99
HP6 ₅	Hydrogen Peroxide	486648	0.3 – 100	8	100	\$20.99
FE3 ₁	Iron, Total (TPTZ)	486650	0.03 – 6	3	50	\$20.99
NO3 ₄	Nitrate (as NO ₃)	486655	0.1 – 30	15	50	\$19.99
TR1 ₇	Nitrate (as NO ₃ for Saltwater)	486655	0 – 90	15	50	\$19.99
NO2 ₄	Nitrite (as NO ₂)	486623	0.01 – 1.8	5	50	\$18.99
O3 ₅	Ozone (DPD-4)	486634	0.01 – 2	4	100	\$15.99
PH2 ₁	pH	486639	5.8 – 8.5 pH	0.2 pH	100	\$11.99
PHA ₂	Acid PH	486624	3.2 – 6 pH	0.3 pH	50	\$10.49
PHb ₂	Alkali PH	486609	7.2 – 9.8 pH	0.3 pH	50	\$10.49
PO4 ₂	Phosphate	486814	0.03 – 4.4	4	50	\$19.99
TU5 ₁	Turbidity	N/A	4 – 900 NTU	N/A	N/A	N/A

[†]Value provided represents best possible accuracy under laboratory conditions, but may vary throughout the detection range. For a complete list of accuracies throughout all ranges, please visit sensafe.com

*Combined Chlorine DPD-3 Test requires Free Chlorine DPD-1 (486637) to be run first. For resellers and distributors - products sold in case quantities (12 units per case).



eXact[®] MICRO 10

#1 for service professionals!

COMPLEX CHEMISTRY MADE SIMPLE, FAST, AND ACCURATE!

The first meter designed for the pool service professional that directly read's combined chlorine with 0.01 precision

- Sample cell countdown timer built-in (no vial or timer to handle)
- Non-technical procedure (only 1 reagent for each test)
- 20-Test memory for each Menu (data retrieved from memory quickly)
- DPD chlorine methodology is accepted by Health Departments (replaces FAS-DPD and visual DPD kits)
- 2-Year warranty with satisfaction guarantee



waterproof IP67




EXACT MICRO 10 POOL KIT INCLUDES:

One (1) eXact[®] Micro 10 photometer, Mini Dilution kit, Plastic Carrying Case, Plastic Stirrer, Cell Cleaning Brush, Mixing Cap, Instruction Manual, and 25 tests of each:

Free Chlorine (DPD-1), Combined/Total Chlorine (DPD-3), pH, Total Alkalinity, Copper, Calcium Hardness, Phosphate, Chloride (Salt), Cyanuric Acid (60 tests), and Bromine

Part No. 486699-K
\$404.99

WITH EZ-3[™] Method YOU CAN ACHIEVE ACCURATE RESULTS FAST!



MICRO 10 TESTS & REAGENTS

MENU/PARAMETER / TEST	PART #	RANGE (ppm)	BEST [†] ACCURACY %	# OF TESTS	RETAIL PRICE
AL1 Alkalinity, Total	486641	7 – 200	7	100	\$15.99
CL3 Bromine (DPD-1)	486636	0 – 28	5	100	\$13.99
CL1 Chlorine, Free (DPD-1)	486637	0 – 11	3	100	\$13.99
CL3 Chlorine, Combined (DPD-3)* (525 nm)	486638	0 – 11	3	50	\$8.49
CH6 Chloride, Salt (as NaCl)	481657 – II	40 – 7000	20	25	\$13.99
CU8 Copper (Cu ²⁺)	486632	0.04 – 8	2	50	\$15.99
CY7 Cyanuric Acid II	481652 – II	0 – 110	11	60	\$10.49
CA5 Hardness, Calcium (as CaCO ₃)	486629	10 – 500	8	50	\$15.99
CL3 Ozone (DPD-3)	486634	0 – 11	4	100	\$15.99
PH2 pH	486639	6.3 – 8.4 pH	0.2 pH	100	\$11.99
PO4 Phosphate	486814	0 – 4	3	50	\$19.99

[†]Value provided represents best possible accuracy under laboratory conditions, but may vary throughout the detection range. For a complete list of accuracies throughout all ranges, please visit sensafe.com

*Combined Chlorine DPD-3 Test requires Free Chlorine DPD-1 (486637) to be run first. For resellers and distributors - products sold in case quantities (12 units per case).



VISUAL (DIP AND READ)

POOL **CHECK®**
Pool & Spa Test Strips



Low Detection Levels

U.S. PATENTED TECHNOLOGY
#5491094
#6541269

U.S. PATENTED TECHNOLOGY
#5491094
#6541269

U.S. PATENTED TECHNOLOGY
#5491094

USEPA APPROVED
FREE CHLORINE
ITS method 830-003
(Revision 3, Nov 21, 2003)
(US Patents
6541269, 5491094)



SenSafe™ Free Chlorine Water Check
Part # 481026 **Retail Price \$18.99** 50 Tests
DETECTION LEVELS:
Free Chlorine: 0, 0.05, 0.1, 0.2, 0.4, 0.6, 0.8, 1.2, 1.5, 2.0, 2.6, 4.0, >6.0 ppm mg/L

SenSafe™ Water Metals Check
Test quickly for all +2 valence metals:
Copper, Iron, Nickel and Zinc
Part # 480309 **Retail Price \$20.99** 50 Tests
DETECTION LEVELS:
<10, 20, 50, 100, 200, 400, 1000 ppb (µg/L)

Pool Check® 5 in 1
Part # 481339 **Retail Price \$10.49** 50 Tests
DETECTION LEVELS:
Free Chlorine: 0, 0.5, 1, 3, 5, 10 mg/L
Total Chlorine / Total Bromine: 0, 0.5, 1, 3, 5, 10 mg/L
pH: 6.0, 6.8, 7.2, 7.6, 8.2, 9.0
Total Alkalinity: 0, 40, 80, 120, 180, 240 mg/L
Total Hardness: 0, 50, 120, 200, 400, 1000 mg/L

Pool Check® Copper 3 in 1
Part # 481348 **Retail Price \$13.99** 50 Tests
DETECTION LEVELS:
Copper: 0, 0.2, 0.4, 0.7, 1, 2 mg/L
pH: 6.0, 6.4, 6.8, 7.2, 7.6, 8.2, 9.0
Total Alkalinity: 0, 40, 80, 120, 180, 240, 360 mg/L



Pool Check® Salt
Part # 482341 **Retail Price \$8.49** 16 Tests
DETECTION LEVELS:
Salt: 1500, 2000, 2500, 3000, 4000, 5000, 6000, 7000 ppm mg/L
Also Available by Special Order: 1000, 1500, 2000, 2500, 3000, 3500 ppm mg/L

Pool Check® Phosphate
Part # 481349 **Retail Price \$13.99** 50 Tests
DETECTION LEVELS:
Phosphate: 0, 200, 400, 600, 1000, 2500 mg/L

Pool Check® 3 in 1
Part # 481335 **Retail Price \$8.49** 50 Tests
DETECTION LEVELS:
Free Chlorine: 0, 0.5, 1, 3, 5, 10, 20 mg/L
pH: 6.0, 6.4, 6.8, 7.2, 7.6, 8.2, 9.0
Total Alkalinity: 0, 40, 80, 120, 180, 240, 360 mg/L

Spa Check™ 3 in 1
Part # 481336 **Retail Price \$8.49** 50 Tests
DETECTION LEVELS:
Total Bromine: 0, 1, 3, 6, 9, 12, 20 mg/L
pH: 6.0, 6.4, 6.8, 7.2, 7.6, 8.2, 9.0
Total Alkalinity: 0, 40, 80, 120, 180, 240, 360 mg/L

NEW!

U.S. PATENTED TECHNOLOGY
#5491094

PATENTED TECHNOLOGY
Patent No. 5491094



Spa Check™ MPS 3 in 1
Part # 481340 **Retail Price \$8.49** 50 Tests
DETECTION LEVELS:
Monopersulfate (MPS): LOW, OK, HIGH
pH: 6.0, 6.4, 6.8, 7.2, 7.6, 8.2, 9.0
Total Alkalinity: 0, 40, 80, 120, 180, 240, 360 mg/L

Pool Check® 4+
Part # 481328 **Retail Price \$8.99** 50 Tests
DETECTION LEVELS:
Total Alkalinity: 0, 40, 80, 120, 180, 240 mg/L
Free Chlorine: 0, 0.5, 1, 3, 5, 10 mg/L
pH: 6.0, 6.8, 7.2, 7.6, 8.2, 9.0
Cyanuric Acid: 0, 30-50, 100, 150, 300 mg/L

Pool Check® 6 in 1
Part # 481330 **Retail Price \$10.99** 50 Tests
DETECTION LEVELS:
Free Chlorine: 0, 0.5, 1, 3, 5, 10 mg/L
Total Chlorine / Total Bromine: 0, 0.5, 1, 3, 5, 10 mg/L
pH: 6.0, 6.8, 7.2, 7.6, 8.2, 9.0
Total Alkalinity: 0, 40, 80, 120, 180, 240 mg/L
Total Hardness: 0, 50, 120, 200, 400, 1000 mg/L
Cyanuric Acid: 0, 30-50, 100, 150, 300 mg/L

Pool Check® TDS
Part # 481347 **Retail Price \$10.49** 35 Tests
DETECTION LEVELS:
Total Dissolved Solids: 0, 500, 1500, 3000, 5000 mg/L

BACTERIA TESTS

USEPA Compliant for testing

EZ™ COLIFORM CULT – MUG TEST

Part No. 487197

- Total Coliform P/A test with E.coli confirmation
- E.coli confirmation by fluorescence or Kovac's reagent
- Results in 24 hours (95°F/35°C) or 48 hours (77°F/25°C)
- XGAL/MUG test using safe and non-hazardous chemistry
- EPA compliant method published in the Federal Register/Vol. 67, No. 209, Tuesday, October 29, 2002



Part No.	Product Description	Retail Price
487197	EZ Coliform Cult Mug Test (x12)	\$104.99
NVF-4	UV Light	\$23.99

BACTERIA CHECK™

Part No. 481197

- Total coliform P/A test without E.coli confirmation
- Designed around USEPA standards of testing (1 colony per 100 cc)
- Results in 48 hours (77°F/25°C)
- Simple test method and requires no incubator
- Safe and non-hazardous chemistry



Part No.	Product Description	Retail Price
481197	Bacteria Check™ (X12)	\$62.99

NEW!

ReadySnap® 1P

METHOD VERIFICATION SOLUTION

Part No. 480911 \$29.99

Assigned Value Chart for READY SNAP® 1P (lot 4813) Solution:

Menu Item	Parameter Test	Desired Value (ppm)	Acceptable Range (ppm)
AL	Total Alkalinity	54	44-64
PH	pH	7.5 pH	7.3-7.7 pH
PO	Phosphate	1.8	1.5-2.1
CA	Calcium, Hardness as CaCO ₃	180	150-210
CY	Cyanuric Acid	40	30-50
CU	Copper as Cu ⁺²	0.30	0.24-0.36
CU	Total Copper as Cu ⁺²	0.64	0.56-0.72
TH(H)	Total Hardness	220	190-250

NOTE: Values reflect concentrations as found 9/19/2014.

R010815

Predetermined values to verify the accuracy of your test method (including our eXact® photometers). Ready for field use, 1 box has 10 ampoules of solution and each ampoule contains 10 ml with no required dilution before testing. ReadySnap™ uses an easy 3 step procedure (snap, fill and test).

1. SNAP

Twist and SNAP open the plastic ampoule

2. FILL

Squeeze Ready Snap™ to FILL eXact® cell

3. TEST

TEST and verify your eXact® result!



POCKET METERS



TEMP & PH METER

- Waterproof (IP-67)
- Clear LCD with multiple displays of pH, temperature, buffers, date and time
- 50 test memory storage
- Protective cover for pH electrode
- pH range: 0.00 – 14.00
- pH Accuracy: +0.02 pH
- Temp. Range: 0°C – 99.9°C

Part No. **618NC**
\$129.99



TEMP & TDS METER

- Clear LCD that displays TDS & temperature at the same time
- Measures TDS in all waters
- Protective cover for electrode
- TDS Range: 0 – 5000 ppm (mg/L)
- Resolution: 1 ppm (mg/L)
- Accuracy: +/- 2%
- Temp. Range: 32 – 176°F 0.0°C - 80°C

Part No. **AP-1**
\$39.99



EC, TDS, SALT AND TEMP METER

- Waterproof housing (IP-67 rating)
- Measures electrical conductivity (EC), total dissolved solids (TDS), salt and temperature.
- Digital Calibration, Auto-off function, data-hold function and low-battery indicator
- Large and easy-to-read LCD screen includes simultaneous temperature reading.
- Includes a cap, batteries and lanyard.
- TDS Range: 0 – 5000 ppm (mg/L) Salt Range: 0 – 8560 ppm (mg/L) Temp. Range: 1°C – 80°C


Part No. **COM100**
\$74.99



Fawzi
Kfoury



Leyla
Kfoury



Marie
Moro



Canadian Distributor

eXactmeter@intrachem.ca
www.intrachem.ca

Tel 1 416 760-0929 1 877 760-0929

IntraChem
Industries Inc.



Industrial Test Systems, Inc.
Innovators of Water Quality Testing

HEADQUARTERS

1875 Langston Street | Rock Hill, SC 29730

(800) 861-9712 | (803) 329-9712

its@sensafe.com | SENS SAFE.COM



SENSAFE ITSSENS SAFE



ITS Europe, LTD

Innovators of Water Quality Testing

EUROPEAN OFFICE

UK Centre for Homeland Security

Building 7, Chilmark Salisbury, Wiltshire | SP3 5DU | UK

+44 (0) 1722 717911

itseurope@sensafe.com | ITSEUROPE.CO.UK



Our products follow good manufacturing procedures that meet the highest quality specifications backed by our satisfaction guarantee.